TS 93 door closer system including slide channel G-N by dormakaba

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 26148

CLASSIFICATION: 08 71 00 Door Hardware

PRODUCT DESCRIPTION: The TS 93 cam action door closer system provides a high-quality architectural solution for all project application requirements, featuring the dormakaba heart-shaped cam to ensure exceptional ease of opening. Rapidly decreasing opening force the TS 93 system's unique cam technology sets it apart from conventional door closer systems. The resistance encountered when opening the door is instantly reduced, offering an easy opening action much appreciated by, in particular children and older people.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities

C Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances. Screened ○ Yes Ex/SC
○ Yes
○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified ○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic)

and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

TS 93 DOOR CLOSER SYSTEM INCLUDING SLIDE CHANNEL G-N [STEEL NoGS IRON LT-P1 | END ALUMINUM NoGS LUBRICATING OILS LT-1 | CAN | PBT | MUL ZINC LT-P1 | END | MUL | AQU | PHY PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN SOLID FORM, NOT DISPERSED, INSOLUBLE **IN WATER AND INDIFFERENT NoGS BRASS NoGS]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Method. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listinas.

VOC emissions: N/A

LCA: Environmental Product Declaration (EPD) by IBU

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-09-24

PUBLISHED DATE: 2021-09-24

EXPIRY DATE: 2024-09-24



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

TS 93 DOOR CLOSER SYSTEM INCLUDING SLIDE CHANNEL G-N

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-24 12:03:04

OTHER PRODUCT NOTES: -

STEEL ID: 12597-69-2

%: 39.4700 - 39.4700 GS: NoGS RC: Both NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Closer and main arm

IRON ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-24 12:03:04

%: 39.0800 - 39.0800 GS: LT-P1 RC: Both NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: Closer

ID: 91728-14-2 **ALUMINUM**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-24 12:03:05

%: 16.3500 - 16.3500 GS: NoGS RC: Both NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Slide channel and closer

LUBRICATING OILS ID: 74869-22-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-24 12:03:05

%: 2.3200 - 2.3200	GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: Hydraulic fluid			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence			
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans			
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant			
CAN	EU - GHS (H-Statements)	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]			
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]			
SUBSTANCE NOTES: -					

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZ	HAZARD SCREENING DATE: 2021-09-24 12:03:06			
%: 1.7200	GS: LT-P1	RC:	Both	NANO: No	SUBSTANCE ROLE: Hardware	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor				
MUL	German FEA - Substances Hazardous t Waters	0	Class 2 - Hazard to Waters			
AQU	EU - GHS (H-Statements)		H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]			
AQU	EU - GHS (H-Statements)			H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]		
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]				
PHY	EU - GHS (H-Statements)		H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]			

SUBSTANCE NOTES: Slide channel

ZINC

PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN SOLID FORM, NOT DISPERSED, INSOLUBLE IN WATER AND INDIFFERENT

ID: 937182-60-0

ID: 7440-66-6

 HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Closer and slide channel

BRASS ID: 12597-71-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-24 12:03:07

%: **0.2500 - 0.2500** GS: **NoGS** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Hardware**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Closer



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

N/A

05

VOC EMISSIONS

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-03- EXPIRY DATE:

ISSUE

DATE:

2020-01-29

CERTIFIER OR LAB: N/A

DATE: 2025- LAB: Institut

CERTIFIER OR

e.V. (IBU)

Bauen und Umwelt

EXPIRY

01-28

APPLICABLE FACILITIES: This HPD is for a product that is NOT liquid/wet applied.

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

LCA Environmental Product Declaration (EPD) by IBU

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: dormakaba Singapore

CERTIFICATE URL:

https://www.dormakaba.com/resource/blob/17206/1541023e61061b8155a2df03193e3107/epd-

ts-93-en-data.pdf

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

dormakaba has resulted from the merger of the two well-established brands Dorma and Kaba, both known for their expertise in the area of smart and secure access solutions. Together we stand for more than 150 years of security and reliability.

Our master brand dormakaba stands for our offering of products, solutions and services for secure access to buildings and rooms from a single source. Our global brand power supports us to become the trusted industry leader.

For more information, please go to: www.dormakaba.com.

The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein.

dormakaba DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.

MANUFACTURER INFORMATION

MANUFACTURER: dormakaba
ADDRESS: Hofwisenstrasse 24
Rümlang ZH 8153, Switzerland

WEBSITE: www.dormakaba.com

CONTACT NAME: Melanie Schaumann TITLE: Manager Sustainable Projects

PHONE: +41 44 818 91 11

EMAIL: sustainability@dormakaba.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping.

information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.