

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-229EG-7046426-1-5

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 1935-2002-02/AC:2003-12

Door hinges

Product description/
specification

**DHB 1212, DHB 2122, DHB 2222, DHB 3122,
DHB 3222, DHB 3322, DHB 5222, DHB 4122,
DHB 4222, DHB 6222, DHB 8222, DHB 9222,
DHB 7222, DHB 3221, DHB 4121**

Levels and classes of
performance

According to configuration in **annex 1**

Intended use(s)

Intended for use on doors in escape routes with requirements for fire resistance and smoke control

placed on the market
under the name or trade
mark of

Häfele SE & Co KG

Adolf-Häfele-Str. 1, DE-72202 Nagold

and produced in the
manufacturing plant(s)

9028692

Notified body No.
EC-Reference-No.

0757

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)



EN 1935 : 2002

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 16.10.2020 and will remain valid until 15.10.2026, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 229EG 7046426.


Christian Kehrer
Head of notified product certification body
ift Rosenheim
28.11.2023



www.ec.europa.eu

Identity check



www.ift-rosenheim.de/ift-zertifiziert
ID: A27-B765C

Certificate of constancy of performance

Annex 1
Certificate holder: Häfele SE & Co KG
Date of issue: 28.11.2023

Page 1 of 2



Certificate No.: 0757-CPR-229EG-7046426-1-5

Compilation of hinges

No. 1:

Product designation:

DHB 1212	926.98.000, 926.98.001, 926.98.008, 926.98.009, 926.98.003
-----------------	--

Hinge type: flap hinge

Material: steel

Fastening: screwed to sash and frame with 3 screws each item code no. 020.00.136

Test report: WIL 378521 dated 05. 09.2019

WIL 404929 dated 16.11.2018

Classification:	3	7	4	1	1	4	0	11
-----------------	----------	----------	----------	----------	----------	----------	----------	-----------

Intended use: intended for use on doors in escape routes with smoke and fire protection requirements

Certificate of constancy of performance

Annex 1
Certificate holder: Häfele SE & Co KG
Date of issue: 28.11.2023

Page 2 of 2



Certificate No.: 0757-CPR-229EG-7046426-1-5

No. 2:

Product designation:

DHB 2122	926.98.010, 926.98.011, 926.98.019, 926.98.018, 926.98.013
DHB 2222	926.98.020, 926.98.021, 926.98.029, 926.98.028, 926.98.023
DHB 3122	926.98.030, 926.98.031, 926.98.039, 926.98.038, 926.98.033
DHB 3222	926.98.040, 926.98.041, 926.98.049, 926.98.048, 926.98.043
DHB 3322	926.98.060, 926.98.061, 926.98.069, 926.98.068, 926.98.063
DHB 5222	926.98.100, 926.98.101, 926.98.109, 926.98.108, 926.98.103
DHB 4122	926.98.070, 926.98.071, 926.98.079, 926.98.078, 926.98.073
DHB 4222	926.98.090, 926.98.091, 926.98.099, 926.98.098, 926.98.093
DHB 6222	926.98.110, 926.98.111, 926.98.119, 926.98.118, 926.98.113
DHB 8222	926.98.130, 926.98.131, 926.98.139, 926.98.138, 926.98.133
DHB 9222	926.98.140, 926.98.141, 926.98.149, 926.98.148, 926.98.143
DHB 7222	926.98.120, 926.98.121, 926.98.129, 926.98.128, 926.98.123
DHB 3221	926.98.050, 926.98.051, 926.98.059, 926.98.058, 926.98.053
DHB 4121	926.98.080, 926.98.081, 926.98.089, 926.98.088, 926.98.083

Hinge type: flap hinge
Material: steel
Fastening: screwed to sash and frame with 3 screws each item code no. 020.00.136
Test report: WIL 378522 dated 05.09.2017
WIL 378523 dated 05.09.2017
WIL 384020 dated 05.09.2017
WIL 384020-1 dated 05.09.2017
WIL 422302 dated 08.01.2020

Classification:	4	7	6	1	1	4	0	13
-----------------	---	---	---	---	---	---	---	----

Intended use: intended for use on doors in escape routes with smoke and fire protection requirements